


Model	Ref.
CP3349-SALAVADE	6151609110
CP3349-SALAVELE	6151609130
CP3349-SALAVETE	6151609150

With overspeed shut off system	Ref.
CP3349-SALAVEL	6151609070
CP3349-SALAVET	6151609080

WARNING
 TO REDUCE INJURY, BEFORE USING OR SERVICING TOOL, READ AND UNDERSTAND SEPARATELY PROVIDED SAFETY INSTRUCTIONS. 6158726110

WARNING
 RPM RATING ON WHEEL MUST EXCEED GRINDER RPM RATING 6158726300

WARNING
 Do not operate without wheel Guard 6158726300














4/6





US	CP3349-SALAVEL (9") CP3349-SALAVET (6")
rpm	6000
hp (W)	3.62 (2700)

CE	CP3349-SALAVADE (7")	CP3349-SALAVELE (9")	CP3349-SALAVETE (6")
rpm	7700	6500	6000
hp (W)	3.75 (2800)	3.62 (2700)	3.62 (2700)

















		CP3349- SALAVETE (6" CE)	CP3349- SALAVADE (7" CE)	CP3349- SALAVELE (9" CE)	CP3349- SALAVET (6" US)	CP3349- SALAVEL (9" US)
6155041810 	Complete guard 6" CE	1				
6155041820 	Complete guard 7" CE		1			
6155041830 	Complete guard 9" CE			1		
6155041780 	Complete guard 6" US				1	
6155042250 	Complete guard 9" US					1

	CP3349- SALAVETE (6" CE)	CP3349- SALAVADE (7" CE)	CP3349- SALAVELE (9" CE)	CP3349- SALAVET (6" US)	CP3349- SALAVEL (9" US)
Type 6 	6" - Ø150			6" - Ø150	
Type 11 	6" - Ø150			6" - Ø150	
Type 27-42 		7" - Ø180	9" - Ø230		9" - Ø230
Type 1 		7" - Ø180	9" - Ø230		9" - Ø230
Type A 		7" - Ø180	9" - Ø230		9" - Ø230
Type B 		7" - Ø180	9" - Ø230		9" - Ø230


Type 27-42 					9" - Ø230
Type 1 					9" - Ø230
Type A 					9" - Ø230
Type B 					9" - Ø230



	CP3349- SALAVETE (6" CE)	CP3349- SALAVADE (7" CE)	CP3349- SALAVELE (9" CE)	CP3349- SALAVET (6" US)	CP3349- SALAVEL (9" US)
6155031160  Rear flange	1				
6155031070  Rear flange					1
6155031030  Rear flange		1	1		
6155421040  Nut		1	1		1
6156140340  Safety Screw	1	1	1		1
6156101050  Screw	5	2	2	5	
6156101070  Screw		3	3		5
6158010770  Spanner flat	1	1	1		1
6158020100  Pin spanner		1	1		
6158020560  Hex. wrench 6mm	1	1	1		1
6158020610  Hex. wrench 8mm				1	
6155952020  Lever				1	
C087920  Wheel adaptor					1
6156452180  Spring washer	1	1	1	1	1




HANDLE COMPLETE



20	Handle kit	6153965650
21	Lever	6153210830
22	Latch lever	6153212140
23	Latch lever spring	6156811210
24	Grooved pin	6156380140
25	Grooved pin	6156380150
26	Bushing inlet	6157460740
27	O ring	6156581150
28	Screen	744.08
29	Ball spring	6156810200
30	Ball	6157700190
31	Ball seat	6153210800
32	Needle	6157901350
33	Lever spring	6156811230
34	O ring	6156583160
35	Screw	6156100930




HOUSING COMPLETE



		CP3349-SALAVADE (7" CE)	CP3349-SALAVELE (9" CE)	CP3349-SALAVETE (6" CE) CP3349-SALAVET (6" US)	CP3349-SALAVEL (9" US)
B	Housing complete	6153932660	6153932680	6153932720	6153932770
40	Housing	6155652820	6155652840	6155652860	61556529100
42	Felt		6156540400		6156540400
43	Oil tank down		6153212320		6153212320
44	O ring		658.120		658.120
45	Washer		6156500250		6156500250
46	Oil plug		6156140270		6156140270
47	Tool label		6158727470		6158727470
48	Grooved nail		6156340220		6156340220
49	Exhaust grid		6155740560		6155740560
50	Screw		6156180180		6156180180
51	O ring		6156582620		6156582620
52	Oil tank up complete		6153212310		6153212310
53	Side handle complete		6155760720		6155760720




MOTOR COMPLETE



Bearing orientation




H (mm)	CP3349	
	inch	mm
H maxi	0.783	19,9
H mini	0.705	17,9



	CP3349-SALAVELE (9" CE)	CP3349-SALAVADE (7" CE)	CP3349-SALAVEL (9" US) CP3349-SALAVET (6" US)	CP3349-SALAVETE (6" CE)	
60	Cylinder	400.120	400.120	400.120	
61	Front plate	420.119	420.119	420.119	
62	End plate	422.129	422.129	6154221490	422.129
63	Rotor	426.62	426.62	6154261030	426.62
64	Vane	434.48	434.48	434.48	434.48
65	Governor	457.18	457.18	/	457.18
66	Spacer	661.75	661.75	661.75	661.75
67	Nut	607.49	607.49	607.49	607.49
68	Flange	557.93	557.93	/	557.93
69	Plug	673.68	673.68	673.68	673.68
70	Spring	681.33	6156811050	6156811040	6156511040
71	Governor housing	6153211830	6153211830	6153211830	6153211830
72	O ring	658.118	658.118	658.118	658.118
73	O ring	658.120	658.120	658.120	658.120
74	Bearing	754.17	754.17	754.17	754.17
75	Bearing	758.17	758.17	758.17	758.17
76	Rear flange	/	/	6155031500 (6" US) / 6155031070 (9" US)	/
77	O ring	/	/	6156581240	/
78	Governor	/	/	6154570320	/
78b	Ring overspeed	/	/	6153201280	/




 70		Governor Spring (1)	
CP3349-SALAVADE (7" CE)	6156811050	7700 rpm	Black (3)
CP3349-SALAVELE (9" CE)	681.33	6500 rpm	Uncolored (4)
CP3349-SALAVEL (9" US) / CP3349-SALAVET (6" US) / CP3349-SALAVETE (6" CE)	6156811040	6000 rpm	Orange (5)

- FR** (1) Ressort de régulateur, (2) Rouge, (3) Noir, (4) Incolore, (5) Orange, (6) Violet
- ES** (1) Ressorte de regulador, (2) Rojo, (3) Negro, (4) Incoloro, (5) Naranja, (6) Violeta
- DE** (1) Feder des Reglers, (2) Rot, (3) Schwartz, (4) Ungefärbt, (5) Orange, (6) Veilchenblau
- IT** (1) Molla di regolatore, (2) Rosso, (3) Nero, (4) Incolore, (5) Arancione, (6) Viola
- PT** (1) Mola de regulador, (2) Vermelho, (3) Negro, (4) Incolor, (5) Laranja, (6) Violeta
- FI** (1) Säätöjousi, (2) Punainen, (3) Musta, (4) Väritön, (5) Oranssi, (6) Purppura
- SV** (1) Regulatorfjäder, (2) Röd, (3) Svart, (4) Ofärgad, (5) Orange, (6) Lila
- NO** (1) Regulatorfjær, (2) Rød, (3) Svart, (4) Ufarget, (5) Oransje, (6) Lilla
- DA** (1) Regulatorfjeder, (2) Rød, (3) Sort, (4) Ufarvet, (5) Orange, (6) Lilla

- NL** (1) Regulateurveer, (2) Rood, (3) Zwart, (4) Kleurloos, (5) Oranje, (6) Paars
- EL** (1) Ελατήριο ρυθμιστή, (2) Κόκκινο, (3) Μαύρο, (4) Άχρωμο, (5) Πορτοκαλί, (6) Βιολετί
- CN** (1) 调节器弹簧, (2) 红色, (3) 黑色, (4) 无色, (5) 橙色, (6) 紫色
- HU** (1) Szabályozó rugó, (2) Piros, (3) Fekete, (4) Színtelen, (5) Narancs, (6) Ibolya
- LV** (1) Regulatora atsperē, (2) Sarkana, (3) Melna, (4) Bezkrāsaina, (5) Oranža, (6) Violeta
- PL** (1) Sprężyna regulatora, (2) Czerwony, (3) Czarny, (4) Bezbarwny, (5) Pomarańcz, (6) Fiolet
- CZ** (1) Pružina regulátoru, (2) Červená, (3) Černá, (4) Bezbarvá, (5) Oranžová, (6) Fialová
- SK** (1) Spružina regulátora, (2) Červená, (3) Čierna, (4) Bezfarebná, (5) Oranžová, (6) Fialová
- SL** (1) Vzmet regulatorja, (2) Rdeča, (3) Črna, (4) Brezbarvno, (5) Oranžna, (6) Vijolična
- LT** (1) Regulatoriaus spyruoklė, (2) Raudona, (3) Juoda, (4) Bespalvė, (5) Oranžinė, (6) Violetinė
- RU** (1) Пружина регулятора, (2) Красный, (3) Черный, (4) Бесцветный, (5) Оранжевый, (6) Фиолетовый


Locking and unlocking the grinding wheel Montage et démontage de la meule




Start procedure Mise en route



Free speed control Contrôle de la vitesse à vide




Filter cleaning Nettoyage du filtre






OPTIONAL ACCESSORIES




88	Rear flange balancer	6155031460
93	Spanner flat	6158010770
94	Hexagon wrench	6158020560
95	Screw	6156140340
100	Nut	6155421040
101	Pin spanner 35mm	6158020100




C	Silencer assembly	399.463
81	Silencer	399.736
82	Pin	637.50
83	O ring	658.164
84	Bushing	730.172
85	O ring	658.246
86	Gasket	6155740570

CP3349-SALAVEL (9"US)





Type 27 and 42




Wheel adaptor C087920 (87) with nut 6155421040 (100) and Safety screw 6156140340 (95)

Type 27 - 1 and 42



93	Spanner flat	6158010770
94	Hexagon wrench 6mm	6158020560
95	Screw	6156140340
96	Rear flange	6155031030
100	Nut	6155421040
101	Pin spanner 35mm	6158020100

CP3349-SALAVET (6" US)



	Guard complet 6 US	6155041780
102	Nut	615 6080490
103	Spanner flat	615 8010770



The service chart is published as a guide to expectant life of component parts. The replacement levels are based on average tool usage over one year period. You can find Part No with Item No.

Part No / Item	Description	Qty	WEAR				Subject to external damage
			High (100%)	Medium (70%)	Low (30%)	Non (10%)	
See page 3							
6156452200	Spacer complete	1					
6155041810	Complete guard 6" CE	1					X
6155041820	Complete guard 7" CE	1					X
6155041830	Complete guard 9" CE	1					X
6155041780	Complete guard 6" US	1					X
6155042250	Complete guard 9" US	1					X
See page 3							
6155031160	Rear flange	1			X		
6155031030	Rear flange	1			X		
6155421040	Nut	1		X			
6156140340	Screw	1					X
6156101050	Screw	1				X	
6156101070	Screw	1				X	
6158010770	Spanner flat	1				X	
6158020100	Pin spanner	1				X	
6158020560	Hex. Wrench 6mm	1				X	
6158020610	Hex. Wrench 8mm	1				X	
6155952020	Lever	1				X	
608.49	Nut	1				X	
6156452180	Spring washer	1				X	
6155031460	Rear flange balancer	1			X		
See page 5							
20	Handle kit	1					X
21	Lever	1					X
22	Latch lever	1					X
23	Latch lever spring	1				X	
24	Grooved pin	1			X		
25	Grooved pin	1				X	
26	Bushing inlet	1					X
27	O-Ring	1	X				
28	Screen	1					X
29	Ball spring	1			X		
30	Ball	1	X		X		
31	Ball seat	1			X		
32	Needle	1				X	
33	Lever spring	1			X		
34	O-Ring	1	X				
35	Screw	4				X	
See page 5							
40	Housing	1					X
42	Felt	1				X	
43	Oil tank down	1				X	
44	O-Ring	1	X				
45	Washer	1				X	
46	Oil plug	1				X	
47	Tool label	1					X
48	Grooved nail	4				X	
49	Exhaust grid	1				X	
50	Screw	4				X	
51	O-Ring	1	X				
52	Oil tank up complete	1			X		
53	Side handle complete	1					X
See page 6							
60	Cylinder	1			X		
61	Front plate	1		X			
62	End plate	1		X			
63	Rotor	1			X		
64	Vane	3	X				
65	Governor	1			X		
66	Spacer	1				X	
67	Nut	1				X	
68	Flange	1			X		
69	Plug	1		X			
70	Spring	1		X			
71	Governor housing	1			X		
72	O-Ring	1	X				
73	O-Ring	1	X				
74	Bearing	1	X				
75	Bearing	1	X				
76	Rear flange	1			X		
77	O-Ring	1	X				